


1/11



2/11




FIG. 2

**Inventors: Michael S. Halbherr**  
**Attorney Docket No. 4729-00052**

**Inventors: Michael S. Halbherr**  
**Attorney Docket No. 4729-00052**

FIG. 3A is a perspective view of a device 100. The device features a curved, dome-like surface 15 supported by a base 20. The base 20 is composed of several parts: a front section 21, a side section 22, a rear section 23, and a bottom section 24. A curved surface 29 is shown on the side of the base. A series of parallel lines 30 and 31 are visible on the base. A component 32 is located at the rear of the base. A component 35 is located on the side of the base. A component 36 is located on the top of the base. A component 29 is located on the side of the base. A component 21 is located at the rear of the base. A component 22 is located on the side of the base. A component 23 is located at the rear of the base. A component 24 is located at the bottom of the base. A component 29 is located on the side of the base. A component 30 is located on the base. A component 31 is located on the base. A component 32 is located at the rear of the base. A component 35 is located on the side of the base. A component 36 is located on the top of the base.

FIG. 3A




FIG. 3B

4/11




FIG. 4A

5/11







FIG. 4B

Inventors: Michael S. Halbherr  
Attorney Docket No. 4729-00052

Inventors: Michael S. Halbherr  
Attorney Docket No. 4729-00052


6/11




**Inventors: Michael S. Halbherr**  
**Attorney Docket No. 4729-00052**

**Inventors: Michael S. Halbherr**

Attorney Docket No. 4729-00052



8/11





9/11





FIG. 9

10/11



11/11

